PATENT COOPERATION TREATY

PCT

REC'D 1 2 JUL 2006 PCT

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

(Chapter II of the Patent Cooperation Treaty)

(PCT Article 36 and Rule 70)

	1							
Applicant's or agent's file reference JL4198 FOR FURT		CTION	See Form PCT/IPEA/416					
International application No. PCT/GB2004/001414	International filing date 01.04.2004	(day/month/year)	Priority date (day/month/year) 01.04.2004					
International Patent Classification (IPC) or national classification and IPC INV. G03B21/28 A63J5/02								
Applicant MUSION SYSTEMS LIMITED et al.								
This report is the international pre- Authority under Article 35 and trans			is International Preliminary Examining 36.					
2. This REPORT consists of a total of	of 7 sheets, including t	his cover sheet.						
3. This report is also accompanied b	y ANNEXES, comprisi	ng:						
a. ⊠ sent to the applicant and to	•	•	s, as follows:					
sheets of the description, claims and/or drawings which have been amended and are the basis of this report and/or sheets containing rectifications authorized by this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions).								
□ sheets which supersed beyond the disclosure Supplemental Box.	de earlier sheets, but w in the international app	hich this Authority con Dication as filed, as ind	siders contain an amendment that goes icated in item 4 of Box No. I and the					
b. ☐ <i>(sent to the International B</i> : sequence listing and/or tab Relating to Sequence Listir	les related thereto, in e	electronic form only, as	er of electronic carrier(s)) , containing a indicated in the Supplemental Box ructions).					
4. This report contains indications re	lating to the following it	ems:						
☐ Box No. I Basis of the repo	ort							
☐ Box No. II Priority								
☐ Box No. III Non-establishme	ent of opinion with rega	ard to novelty, inventive	step and industrial applicability					
☐ Box No. IV Lack of unity of i	invention							
	<u> </u>							
☐ Box No. VI Certain docume	nts cited							
☐ Box No. VII Certain defects i	in the international app	lication						
☐ Box No. VIII Certain observations on the international application								
Date of submission of the demand		Date of completion of the	nis report					
15.11.2005		11.07.2006						
Name and mailing address of the international preliminary examining authority:	al	Authorized officer	audina Petenteny.					
European Patent Office D-80298 Munich Tel. +49 89 2399 - 0 Tx: 52368 Fax: +49 89 2399 - 4465	56 epmu d	PAVON Telephone No. +49 89	Control of the Contro					

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No. PCT/GB2004/001414

	٢						
	Вох	No. I Basis of the report					
1.	Witl	With regard to the language, this report is based on					
	★ ■ The international application in the language in which it was filed						
		of a translation furnished for ☐ international search (und ☐ publication of the international function of the internation of the interna	onal application into , which is the language the purposes of: ler Rules 12.3(a) and 23.1(b)) tional application (under Rule 12.4(a)) examination (under Rules 55.2(a) and/or 55.3(a))				
2.	hav	h regard to the elements* of re been furnished to the recei ort as "originally filed" and an	the international application, this report is based on (replacement sheets which iving Office in response to an invitation under Article 14 are referred to in this e not annexed to this report):				
	Des	scription, Pages					
	1-17	7	as originally filed				
	Clai	ims, Numbers					
1-2		5	received on 15.11.2005 with letter of 09.11.2005				
	Dra	wings, Sheets					
	1/4-	4/4	as originally filed				
		a sequence listing and/or ar	y related table(s) - see Supplemental Box Relating to Sequence Listing				
3.	 ☑ The amendments have resulted in the cancellation of: ☐ the description, pages ☒ the claims, Nos. 26-43 ☐ the drawings, sheets/figs ☐ the sequence listing (specify): ☐ any table(s) related to sequence listing (specify): 						
4.	□ hac Sup	This report has been establed not been made, since they be permental Box (Rule 70.2(c)) the description, pages the claims, Nos. the drawings, sheets/figs the sequence listing (special any table(s) related to see	s ecify):				
	*	If item 4 applies, so	ome or all of these sheets may be marked "superseded."				

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No. PCT/GB2004/001414

	٠							
	Box	x No. IV Lack of unity of in	ventior	n				
1.	\boxtimes	In response to the invitation to restrict or pay additional fees, the applicant has, within the applicable time limit:						
		$oxed{\boxtimes}$ restricted the claims.						
		\square paid additional fees.						
		\square paid additional fees under protest and, where applicable, the protest fee.						
		\square paid additional fees under protest but the applicable protest fee was not paid.						
		☐ neither restricted the claims nor paid additional fees.						
2.		This Authority found that the requirement of unity of invention is not complied with and chose, according to Rule 68.1, not to invite the applicant to restrict or pay additional fees.						
3.	This	This Authority considers that the requirement of unity of invention in accordance with Rules 13.1, 13.2 and 13.3 s:						
	\boxtimes	complied with.						
		not complied with for the follo	wing re	easons:				
4.	Cor	Consequently, this report has been established in respect of the following parts of the international application:						
	\boxtimes	all parts.						
		the parts relating to claims N	os					
		x No. V Reasoned stateme			5(2) with regard to novelty, inventive step or industrial ng such statement			
1.	Sta	tement						
	Nov	velty (N)	Yes:	Claims	1-10			
			No:	Claims				
	Inve	entive step (IS)	Yes:	Claims				
			No:	Claims	1-10			
	Indi	ustrial applicability (IA)	Yes:	Claims	1-10			
			No:	Claims				
2.	Cita	ations and explanations (Rule	70.7):					

see separate sheet

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No. PCT/GB2004/001414

Box No. V - Art. 33 PCT

- 1. The present application does not meet the criteria set forth in Art. 33 PCT, because the image projection apparatus of **claim 1** is not inventive in the sense of Art. 33(3) PCT. Document **D1** (US 5 865 519; see FIG. 2) discloses an image projection apparatus comprising a projector 12, a frame 46,48,50,52 and an at least partially transparent screen 20:-
 - a frame 46,48,50,52 (see FIG. 5 and col 4 lines 32 to 54) being arranged to retain the screen under tension (see col 2 lines 48 to 65) by first and second retention members 22,24, such that the screen 20 is inclined at an angle with respect to a plane of emission of light from the projector (clear from FIG. 2 and col 2 lines 28 and 29);
 - ii. the screen 20 having a front surface arranged such that light emitted from the projector is reflected therefrom (clear form FIG. 1 or 2 and col 3 lines 61 to 63);
 - iii. the projector 12 being arranged to project an image 26 such that light forming the image impinges upon the screen 20 such that a virtual image is created from light reflected from the screen 20, the virtual image appearing to be located behind the screen (clear from FIG. 2)., as already reasoned in section 1(b) supra.

Thus, the subject matter of claim 1 differs from **D1** in that the first and the second retention member comprise "respective" openings arranged therethrough to collocate with respective openings in the screen, wherein the openings are arranged to receive a fixing means so as to sandwich an edge region of the screen between the first and second retention members. It is noted that the "fixing means" are not included in the subject claimed *per se* (see Guidelines 5.37).

The effect of these features is to maintain the screen under tension between the upper and the lower portions of the frame so that the formation of wrinkles is reduced. However, the use of jaws, bolts and nuts as well as the use of tensioning straps are well known in the fields of pitching tents, sailing, projection screens, etc.

It appears that the skilled person would, in an obvious way, use the generally known method of using complementary openings on a foil (screen) and on a rigid frame so that the screen can be tightened by means of a cord, bolt and nuts or any other fixing means in order to secure the screen to the truss arrangement of the theatre.

Thus, the skilled person would arrive at an apparatus according to claim 1.

- 2. An analogous objection applies to method claim 11, for analogous reasons.
- 3. None of the dependent **claims** appears to contain any additional features which, in combination with the features of any claim to which it refers, meet the criteria of the PCT with respect to novelty/inventive step, the reasons being as follows:-
 - A 45 degrees inclined foil, partially reflective and which can be rolled according to claims 2-5 is known from documents D1 (see col 2 line 66, col 2 line 28 and col 2 line 53).
 - ii. The screen being attached to the frame according to **claim 6** is known from **D1** (see col 3 lines 58 to 60).
 - iii. The fixing details according to **claims 7-10** are standard for the skilled person routine in tightening screen foils in a theatre.
 - iv. analogous objection apply to the corresponding dependent method claims.

Art. 6 PCT

4. The expression "first and second retention member" has been used with two different meanings: (a) the upper and the lower retention means and (b) the two jaws with corresponding openings as shown in FIG. 4. This renders the subject matter, unclear, Art. 6 PCT.

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY (SEPARATE SHEET)

International application No.

PCT/GB2004/001414

M. Pavón Mayo

CLAIMS

5 1. An image projection apparatus comprising a projector, a frame, and an at least partially transparent screen:

the frame being arranged to retain the screen under tension by first and second retention members comprising respective openings arranged therethrough to collocate with respective openings in the screen, wherein

the openings are arranged to receive a fixing means so as to sandwich an edge region of the screen between the first and second retention members, such that the screen is inclined at an angle with respect to a plane of emission of light from the projector;

the screen having a front surface arranged such that light emitted from the projector is reflected thereform; and

the projector being arranged to project an image such that light forming the image impinges upon the screen such that a virtual image is created from light reflected from the screen, the virtual image appearing to be located behind the screen.

20

15

- 2. An apparatus according to Claim 1 wherein the screen is a foil.
- 3. An apparatus according to Claim 2 wherein the foil is rolled about a cylinder when not in use.

25

- 4. An apparatus according to any preceding claim wherein the screen is inclined at approximately 45° to the plane of emission of light from the projector.
- 30 5. An apparatus according to any preceding claim wherein the screen comprises a partially reflective layer upon the front surface.

- 6. An apparatus according to any preceding claim wherein the screen is attached to the frame at the screen's upper and/or lower edges.
- 5 7. An apparatus according to any preceding claim wherein at least one of the first and second retention members comprises an abrasive coating arranged to contact the screen.
- 8. An apparatus according to any preceding claim wherein the respective openings of the first and second retention members comprise respective openings therethrough arranged to collocate with openings in respective jaws of clamping members attached to tensioning straps.
- An apparatus according to Claim 8 wherein the tensioning straps are attached to a truss arrangement or a fixed mounting point located in a permanent structure such as a wall, floor or ceiling and are adjustable such that the tension of the screen within the truss arrangement can be varied about the periphery of the screen.
- 20 10. An apparatus according to Claim 9 wherein the retention members are substantially parallel to truss members comprising the truss arrangement.
- 11. A method of providing the frame and screen according to any preceding claim comprising the steps of:
 - resting a frame upon a number of elevation means;
 - (ii) attaching leg sections to the frame;
 - (iii) increasing the height of the elevation means;
 - (iv) adding further leg sections;
- 30 (vi) attaching a lower edge of a screen to a first retention member on a lower rear piece of the frame;

- (vii) raising an upper edge of the screen to adjacent an upper front section of the frame; and
- (viii) attaching the upper edge of the screen to a second retention member on the upper front section of the frame.
- 5 (ix) securing the screen in position using respective fixing means passing through both respective retention members and the screen.
 - 12. The method of Claim 11 comprising providing the elevation means in the form of a jack.

10

- 13. The method of either Claim 11 or Claim 12 comprising providing the screen in the form of a film.
- 14. The method of Claim 13 comprising removing a roll of screen film15 from a protective cylindrical casing
 - 15. The method of either Claim 13 or Claim 14 comprising laying the screen upon a dust-free protective sheet.
- 20 16. The method of any one of claims 11 to 15 comprising locking means arranged to lock the respective fixing means in position.
 - 17. The method of any one of claims 11 to 16 comprising attaching tensioning means to either, or both, of the respective retention members.

25

- 18. The method of Claim 17 comprising attaching the tensioning means adjacent at least some of the respective fixing means.
- 19. The method of either Claim 17 or Claim 18 comprising attaching 30 the tensioning means associated with the retention member attached to the lower edge of the screen to a lower rear piece of the frame in step (vi).

21

- 20. The method of either Claim 17 or Claim 18 comprising attaching the tensioning means associated with the retention member attached to the upper edge of the screen to an upper front piece of the frame in step (viii).
- 21 The method of any one of Claims 17 to 20 comprising providing the tensioning members in the form of ratchet straps.
- 10 22. The method of any one of Claims 17 to 21 comprising tensioning each of the tensioning means such that the screen is flat and substantially wrinkle free.
- 23. The method of any one of Claims 11 to 22 comprising attaching a rope to the second retention member and passing the rope over the upper frame and using the rope in step (vii) to raise the screen.
 - 24. The method of any one of Claims 11 to 23 comprising forming the frame from a truss work.

20

25. A frame and screen constructed according to any one of Claims 11 to 24.